



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/046,099	11/06/2001	Gary Edwin Bement	STL10132/40046.0061USU1	9979

23552 7590 09/11/2003

MERCHANT & GOULD PC  
P.O. BOX 2903  
MINNEAPOLIS, MN 55402-0903

EXAMINER

RENNER, CRAIG A

ART UNIT	PAPER NUMBER
----------	--------------

2652

DATE MAILED: 09/11/2003

13

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/046,099

Applicant(s)

BEMENT ET AL.

Examiner

Craig A. Renner

Art Unit

2652

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☐ Responsive to communication(s) filed on \_\_\_\_.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-3,9-13,17,20,22 and 24 is/are rejected.
- 7) ☒ Claim(s) 4-8,14-16,18,19,21 and 23 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 06 November 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

**Priority under 35 U.S.C. §§ 119 and 120**

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                  | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). ____.  |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                         | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) <u>2</u> . | 6) <input type="checkbox"/> Other:  |

## DETAILED ACTION

### *Drawings*

1. The drawings are objected to because of the following informalities:

a. The drawings fail to comply with 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, "wherein the gimbal is attached to an upper surface of the load beam" as set forth in claim 10, and "wherein the gimbal is integrated with the load beam" as set forth in claim 11 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

b. The drawings fail to comply with 37 CFR 1.84(p)(4) because reference character "124" has been used to designate both an unidentified element (as shown in FIG. 1) and a "lower surface" (as shown in FIGS. 5-6, and as disclosed initially in line 2 on page 5).

c. The drawings fail to comply with 37 CFR 1.84(p)(5) because they include one or more reference signs not mentioned in the description. Note, for instance, "126" (shown in FIG. 1).

A proposed drawing correction, corrected drawings, and/or amendment to the specification is required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

### *Specification*

2. The disclosure is objected to because of the following informalities:

Art Unit: 2652

a. In line 1 in each of claims 18 and 19, "The Apparatus" should be changed to --The disc drive-- in order to more clearly refer back to that set forth in line 1 of independent claim 12.

b. In line 1 in each of claims 23 and 24, "The disc drive" should be changed to --The Apparatus-- in order to more clearly refer back to that set forth in line 1 of independent claim 20.

Appropriate correction is required.

***Claim Rejections - 35 USC § 102***

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-3 and 9 are rejected under 35 U.S.C. 102(e) as being anticipated by Bement et al. (US 2002/0101686).

Bement teaches a suspension (270-1) comprising a load beam (118-1); a gimbal (120-1) positioned at one end of the load beam; a slider (122) attached to the gimbal, wherein a head is fixed to the slider (lines 5-7 in paragraph [0024], for instance); and a

Art Unit: 2652

shape memory alloy segment (272-1) attached to the gimbal (lines 7-10 in paragraph [0044], for instance) [as per claim 1]; wherein the shape memory alloy segment comprises nickel-titanium (lines 2-3 in paragraph [0043], for instance) [as per claim 2]; wherein a distal end of the gimbal has two parallel flexure beams (196 and 198) connected by a cross beam (adjacent 200), and the cross beam defines an attachment pad (200) that is secured to a top surface of the slider (lines 5-5 in paragraph [0025], for instance) [as per claim 3]; and wherein the gimbal is attached to a lower surface of the load beam (as shown in FIG. 13, for instance) [as per claim 9].

### ***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

7. Claims 12, 17, 20 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Oguchi et al. (JP 01-179286).

Art Unit: 2652

With respect to claims 12 and 17, Oguchi teaches a disc drive comprising a head disc assembly (FIG. 1, for instance) having a drive motor (lines 8-9 of the CONSTITUTION, for instance) carrying a disc (1) and an actuator assembly (line 10 of the CONSTITUTION, for instance) having an actuator arm (4); a suspension (3) having one end connected to a slider (2) and an opposite end connected to the actuator arm (as shown in FIG. 1, for instance); and at least one shape memory alloy segment (5') attached to the suspension for moving the slider between a contracted state away from the disc when temperature within the head disc assembly increases and a relaxed state near the disc when temperature within the head disc assembly decreases (lines 1-4 of the PURPOSE and lines 5-7 of the CONSTITUTION, for instance) [as per claim 12]; wherein the suspension comprises a load beam (3) having a proximal end and a distal end, wherein the proximal end is attached to the actuator arm (as shown in FIG. 1, for instance), and the distal end forms a tongue for transferring a preload force to the slider (as shown in FIG. 1, for instance) [as per claim 17].

With respect to claims 20 and 22, Oguchi teaches an apparatus for providing passive control of flying height of a slider (2) over a disc (1) within a head disc assembly (FIG. 1, for instance) in a disc drive, the head disc assembly having a drive motor (lines 8-9 of the CONSTITUTION, for instance) about which the disc spins and an actuator assembly (line 10 of the CONSTITUTION, for instance) having an actuator arm (4), the apparatus comprising a suspension (3) having one end connected to the slider and an opposite end connected to the actuator arm (as shown in FIG. 1, for instance), wherein the slider flies above the disc at a predetermined flying height (as shown in FIG. 1, for

Art Unit: 2652

instance); and means (includes 5', for instance, in at least an equivalent structural sense) attached to the suspension for increasing the flying height of the slider when the temperature in the head disc assembly increases and decreasing the flying height of the slider when the temperature decreases (lines 1-4 of the PURPOSE and lines 5-7 of the CONSTITUTION, for instance) [as per claim 20]; wherein the means comprises at least one shape memory alloy segment (line 1 of the CONSTITUTION, for instance) [as per claim 22].

Oguchi, however, remains silent as to the head disc assembly further comprising "a base plate and a top cover" as per claims 12, 17, 20 and 22, and the suspension further comprising "a dimple formed on a lower surface of the tongue" and "a gimbal attached to the distal end of the load beam, one end of the gimbal forming a cutout region bordered by two side arms and a cross beam, the cross beam defining an attachment pad attached to the slider, wherein the dimple of the load beam protrudes through the cutout region to make contact with the slider and to permit the slider to pivot about the dimple" as per claim 17.

Official notice is taken of the fact that it is notoriously old and well known in the head disc assembly art to provide a head disc assembly with a base plate and a top cover in the same field of endeavor for the purpose of protecting the head disc assembly from contamination. Official notice is also taken of the fact that it is notoriously old and well known in the suspension art to provide a suspension with a dimple formed on a lower surface of a tongue and a gimbal attached to a distal end of a load beam, one end of the gimbal forming a cutout region bordered by two side arms

Art Unit: 2652

and a cross beam, the cross beam defining an attachment pad attached to a slider, wherein the dimple protrudes through the cutout region to make contact with the slider and to permit the slider to pivot about the dimple in the same field of endeavor for the purpose of enabling disc surface irregularity compensation.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have had the head disc assembly of Oguchi further comprise a base plate and a top cover, and to have had the suspension of Oguchi further comprise a dimple formed on a lower surface of the tongue and a gimbal attached to the distal end of the load beam, one end of the gimbal forming a cutout region bordered by two side arms and a cross beam, the cross beam defining an attachment pad attached to the slider, wherein the dimple of the load beam protrudes through the cutout region to make contact with the slider and to permit the slider to pivot about the dimple. The rationale is as follows:

One of ordinary skill in the art would have been motivated to have had the head disc assembly of Oguchi further comprise a base plate and a top cover since such protects the head disc assembly from contamination.

One of ordinary skill in the art would have been motivated to have had the suspension of Oguchi further comprise a dimple formed on a lower surface of the tongue and a gimbal attached to the distal end of the load beam, one end of the gimbal forming a cutout region bordered by two side arms and a cross beam, the cross beam defining an attachment pad attached to the slider, wherein the dimple of the load beam protrudes through the cutout region to make contact with the slider and to permit the



Art Unit: 2652

slider to pivot about the dimple since such enables disc surface irregularity compensation.

8. Claims 13 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Oguchi et al. (JP 01-179286) as applied to claims 12 and 20 above, and further in view of Takahashi et al. (JP 60-055570).

Oguchi teaches/suggests the disc drive/apparatus as detailed in paragraph 7, supra. Oguchi, however, further remains silent as to the shape memory alloy/means being "nickel-titanium" as per claims 13 and 24.

Takahashi teaches that nickel-titanium is a notoriously old and well known shape memory alloy/means material in the art (line 2 of the CONSTITUTION, for instance). It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have had the shape memory alloy/means of Oguchi be nickel-titanium as taught by Takahashi. The rationale is as follows:

One of ordinary skill in the art would have been motivated to have had the shape memory alloy/means of Oguchi be nickel-titanium as taught by Takahashi since such is a notoriously old and well known shape memory alloy/means material in the art, and since selecting a known material on the basis of its suitability for the intended use is within the level of ordinary skill in the art, *In re Leshin*, 125 USPQ 416 (CCPA 1960).

9. Claims 10-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bement et al. (US 2002/0101686).

Art Unit: 2652

Bement teaches the suspension as detailed in paragraph 4, *supra*. Bement, however, remains silent as to “wherein the gimbal is attached to an upper surface of the load beam” as per claim 10, and as to “wherein the gimbal is integrated with the load beam” as per claim 11.

Official notice is taken of the fact that a gimbal attached to an upper surface of a load beam, or integrated with a load beam is a notoriously old and well known art recognized equivalent suspension configuration to that taught by Bement for accomplishing the same function of supporting a head slider. It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have had the gimbal of Bement attached to an upper surface of the load beam, or to have had the gimbal of Bement integrated with the load beam. The rationale is as follows:

One of ordinary skill in the art would have been motivated to have had the gimbal of Bement attached to an upper surface of the load beam since such is a notoriously old and well known art recognized equivalent suspension configuration to that taught by Bement for accomplishing the same function of supporting a head slider. Selecting a notoriously old and well known suspension configuration on the basis of its suitability for the intended use is considered to be within the level of ordinary skill in the art.

One of ordinary skill in the art would have been motivated to have had the gimbal of Bement integrated with the load beam since such is a notoriously old and well known art recognized equivalent suspension configuration to that taught by Bement for accomplishing the same function of supporting a head slider. Selecting a notoriously

Art Unit: 2652

old and well known suspension configuration on the basis of its suitability for the intended use is considered to be within the level of ordinary skill in the art.

***Allowable Subject Matter***


10. Claims 4-8,14-16,18-19, 21 and 23 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

***Conclusion***

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig A. Renner whose telephone number is (703) 308-0559. The examiner can normally be reached on Tuesday-Friday 7:30 AM - 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hoa T. Nguyen can be reached on (703) 305-9687. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.



Craig A. Renner  
Primary Examiner  
Art Unit 2652

CAR